## **Executive Summary**

1. Introduction Figure 1.1 RCTV coverage of the April 2004 "getting to there" public workshop	Figure ES.1 Transportation Master Plan Priorities	. 2
2. Vision, Framework, Goals and Policies  None  3. Trends and Conditions  Figure 3.1 SR 520 during the evening traffic	1. Introduction	
3. Trends and Conditions  Figure 3.1 SR 520 during the evening traffic	Figure 1.1 RCTV coverage of the April 2004 "getting to there" public workshop	. 1
3. Trends and Conditions  Figure 3.1 SR 520 during the evening traffic	2. Vision, Framework, Goals and Policies	
Figure 3.1 SR 520 during the evening traffic	None	
Figure 3.2 Facilities for travel	3. Trends and Conditions	
Figure 4.2 LOS Screenlines Map5Figure 4.3 Regional Transit LOS Standards6Figure 4.4 Local Transit Connectivity Measures7	Figure 3.2 Facilities for travel Figure 3.3 Facilities for circulation Figure 3.4 Facilities for access Figure 3.5 Demographic trends Figure 3.6 Demographic percent change Figure 3.7 Average Annual Traffic Growth on Redmond roads (1993 to 2003) chart Figure 3.8 Average Annual Traffic Growth on Regional Roads (1998 to 2003) table Figure 3.9 1993-2003 motor vehicle collisions Figure 3.10 1993 to 2003 motor vehicle accidents with injury Figure 3.11 1993 to 2003 motor vehicle accidents with fatalities Figure 3.12 1993 to 2003 accident rates Figure 3.13 1990-2003 Annual (average daily) Redmond Boardings (Weekday Metro & Sound Transit) Figure 3.14 1990-2003 Annual (average daily) Redmond Transit Revenue Hours (Metro & Sound Transit) Figure 3.15 1990-2003 Boardings per Revenue Hour (Metro & Sound Transit) Figure 3.16 148th Ave NE Transit trends Figure 3.17 156th Ave NE Transit trends Figure 3.18 Redmond Way Transit trends Figure 3.19 Redmond work commute mode split Figure 3.20 Population represented in each survey Figure 3.21 The LUTAOH research model. Figure 3.22 Mode share comparison of LUTAOH and NTPS Figure 3.23 Distance category by mode share Figure 3.24 Mode share by distance category Figure 3.25 Average trip length by mode Figure 3.26 Demographic forecasts table. Figure 3.27 Demographic forecasts chart. Figure 3.28 Average annual growth in traffic on Redmond roads (1998-2022)	. 2 2 2 3 3 3 3 3 4 4 4 4 5 5 5 5 6 6 6 6 7 7 8 8 9 9 9 11 11
Figure 4.2 LOS Screenlines Map5Figure 4.3 Regional Transit LOS Standards6Figure 4.4 Local Transit Connectivity Measures7		
Figure 4.3 Regional Transit LOS Standards6Figure 4.4 Local Transit Connectivity Measures7	Figure 4.1 Roadway LOS Criteria (Peak Hour, Bi-directional)	. 4
	Figure 4.3 Regional Transit LOS Standards	. 6

## LISTOFFIGURES

Figure 4.6 Bicycle System LOS Standards Figure 4.7 Bicycle Corridor LOS Map Figure 4.8 Pedestrian LOS Standards Figure 4.9 CTR Mode Share Objectives Figure 4.10 All Day Redmond Resident Mode Share Objectives Figure 4.11 Traffic Safety Objectives	9 10 11 11
5. Modal Elements	
5A. Pedestrian Program Plan	
Figure 5A.1 Everyone in Redmond is a pedestrian for a portion of all trips.  Figure 5A.2 Components Influencing the Pedestrian Environment  Figure 5A.3 Levels of Pedestrian Friendliness.  Figure 5A.4 Criteria for sidewalk width and placement  Figure 5A.4b Criteria for sidewalk width and placement in Mixed-Use Activity Centers.  Figure 5A.5 Preferred curb ramp treatments for enhanced pedestrian safety  Figure 5A.6 Criteria for pedestrian crossing treatments  Figure 5A.7 Map of Hierarchy of Pedestrian Environments	3 4 10 11 13
5B. Bicycle System Plan	
Figure 5B.1 Redmond has various types of bicyclists who desire various levels of bicycle	
accommodation	2 3 5 6
pavement for bicycling and/or parking along pedestrian-oriented streets	
parking occurs all day or overnight Figure 5B.9xBulbouts at intersections in downtown are secure and visible locations for bicycle parking	
Figure 5B.10xBicycle parking that secures the frame, not just the wheels, will be installed in all locations.	9
Figure 5B.11 Guide for bicycle maps in TMP	11 12
5C. Transit System Plan	
Figure 5C.1 Sound Transit 545 provides an important regional connection from Redmond to downtown Seattle	2 2 3
Figure 5C.5 Regional express transit routes detail	5
Figure 5C.7 Local Transit Destinations by TMD  Figure 5C.8 Transit travel times between Transportation Management Districts (Summer 2004)  Figure 5C.9 Regional transit plans in the Puget Sound Region	9

Figure 5C.10 Redmond's regional connections.  Figure 5C.11 Travel times between Urban Centers and regional destinations (all day routes & peak only)	
Figure 5C.12 Map of Proposed Improvements to Regional Connections	
5D. Thoroughfare Plan	
Figure 5D.1 Redmond roads serve all modes of travel.  Figure 5D.2 Redmond Traffic Growth 2003 - 2022  Figure 5D.3 Traffic Growth 2003 - 2022 by Transportation Management District  Figure 5D.4 Annual Screenline Growth 2003 - 2022  Figure 5D.5 Pass-Through Traffic in Downtown Redmond: 2004  Figure 5D.6 Pass-Through Traffic in Downtown Redmond: 2022  Figure 5D.7 Build Out Maximum Right of Way  Figure 5D.8 Principal Arterial Streets  Figure 5D.9 Minor Arterial Streets	2 3 4 4 8 9
Figure 5D.10 Collector Arterial Streets	11
Figure 5D.11 Connector Streets	11
Figure 5D.12 Functional Classification Map	
5E. Model Integration: Access and Circulation	
Figure 5E.1 The success of a multimodal transportation system relies on safe and	
convenient travel environments for all modes	1
provide multimodal travel options	2
Figure 5E.3 On-street parking, slow speed streets and continuous pedestrian facilities provide multimodal travel options along 166th Ave NE in Redmond Town Center	2
Figure 5E.4 The intersections of two multimodal corridors at 156th Ave NE and NE 40th St	3
Figure 5E.5 NE 24th St	
Figure 5E.7 Multimodal Map	
5F. Demand Management	
Figure 5F.1 TDM improves mobility	2
6. Transportation Facilities Plan	
Figure 6.1 2005-2022 Transportation Revenue Forecasts  Figure 6.2 TMP Priorities  Figure 6.3 2022 TFP Project List  Figure 6.4 2022 TFP Project Map	5 6

## LISTOFFIGURES

## 7. Performance Monitoring System

Figure 7.1 Example	2
Figure 7.2 Sound Transit Route Ridership	3
Figure 7.3 Metro Route Ridership	
Figure 7.4 Boardings/Revenue Hour	4
Figure 7.5 Park and Ride Utilization	4
Figure 7.6 Average Daily VMT	
Figure 7.7 Average Daily Traffic	
Figure 7.8 Annual Traffic Growth	
Figure 7.9 Annual Screenline Growth 2003-2022	7
Figure 7.10 Traffic Accidents	
Figure 7.11 Bike & Pedestrian Accidents	
Figure 7.12 Travel Time from Downtown	
Figure 7.13 Travel Time from Overlake	
Figure 7.14 Service Frequency: Downtown	
Figure 7.15 Service Frequency: Overlake	
Figure 7.16 Hours of Weekday Service - Local Routes	1
Figure 7.17 Directness of Weekday Service Connections - Local Routes	1:
Figure 1.18 Connection Service Frequency	13
Figure 7.19 Screenlines	
Figure 7.20 Roadway Level of Service	
Figure 7.21 Bicycle System Priorities	
Figure 7.22 Pedestrian Adequacy	1.
Figure 7.23 CTR Commute Mode Share	
Figure 7.24 Status of Actions Scheduled for 2005	
Figure 7.25 Redmond Population	
Figure 7.26 Redmond Employment	
Figure 7.27 Redmond Dwelling Units	
Figure 7.28 Report Year Pass-Through Traffic	
Figure 7.29 2022 ForecastPass-Through Traffic	
Figure 7.30 Pedestrian Adequacy by TMD	
Figure 7.31 All Day Resident Mode Share	22
8. Regional Transportation	
None	
9. Three-Year Priority Action Plan	
Figure 0.1 Priority Action Plan Schodules	1